

# TECHNICAL DATA MOTORHOMES

	UNIT	ONTOUR C COMPACT SEMI-INTEGRATED		ONTOUR T SEMI-INTEGRATED				ONTOUR A OVERCAB	MAXIA T SEMI-INTEGRATED		
		680 GE	700 GQ	700 KMH	700 F	700 FH	710 GE	720 GFM	710 GE	740 WE	740 WF
<b>CHASSIS / MODELS</b>											
CITROËN Low-Frame Chassis Light, 3,500 kg		●	●	-	-	-	-	-	-	-	-
FIAT Low-Frame Chassis Light, 3,500 kg		-	-	●	●	●	●	●	●	●	
FIAT Low-Frame Chassis Maxi, 4,250 kg		-	-	-	-	-	-	-	-	-	
FIAT Low-Frame Chassis Maxi, 4,400 kg (only in conjunction with 180 hp engine)		-	-	-	-	-	-	-	-	-	
<b>ENGINE</b>											
Engine power	kW / HP	103 / 140	103 / 140	103 / 140	103 / 140	130 / 180	103 / 140	103 / 140	130 / 180	130 / 180	
<b>CHASSIS</b>											
Number of axles		2	2	2	2	2	2	2	2	2	
Front wheel drive		●	●	●	●	●	●	●	●	●	
Wheelbase	mm	3.800	3.800	3.800	4.035	4.035	4.035	3.800	4.035	4.035	
Tyre size		225 / 75 R 16 CP	225 / 75 R 16 CP	225 / 75 R 16 CP	225 / 75 R 16 CP	225 / 75 R 16 CP	225 / 75 R 16 CP	225 / 75 R 16 CP	225 / 75 R 16 CP	225 / 75 R 16 CP	
Turning circle	m	13.89	13.89	13.89	14.43	14.43	14.43	13.89	14.43	14.43	
<b>DIMENSIONS AND WEIGHT</b>											
Overall length	mm	6.759	6.979	6.979	7.009	7.009	7.059	7.168	7.148	7.406	
Overall width	mm	2.230	2.230	2.400	2.400	2.400	2.400	2.400	2.400	2.400	
Overall height	mm	2.820	2.820	2.883	2.883	2.883	2.883	3.030	2.883	2.883	
Interior headroom	mm	1.984	1.984	2.054	2.054	2.054	2.054	2.054	2.054	2.054	
Interior headroom drop-down bed	mm	-	-	1.885	1.885	1.885	-	-	-	-	
Maximum technically permissible laden mass <sup>1</sup>	kg	3.500	3.500	4.250	3.500	4.400	3.500	4.250	4.400	4.400	
Unladen weight	kg	Follow	Follow	Follow	Follow	Follow	Follow	Follow	Follow	Follow	
Mass in running order (+/- 5%) <sup>2</sup>	kg	Follow	Follow	Follow	Follow	Follow	Follow	Follow	Follow	Follow	
Maximum mass for special equipment <sup>3</sup>	kg	Follow	Follow	Follow	Follow	Follow	Follow	Follow	Follow	Follow	
Towing capacity, braked <sup>4</sup>	kg	2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000	
Body wall thickness (floor / roof / wall)	mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	
<b>NUMBER OF SEATS</b>											
Number of people when driving <sup>5</sup>		4	4	4	4	4	4	4	4	4	
Three-point seatbelts		4	4	4	4	4	4	4	4	4	
Seatbelt anchor with rear-facing lap belts		-	-	-	-	-	-	-	-	-	
<b>NUMBER OF BERTHS</b>											
Number of berths / optional berths		2 / 2	2 / 2	6	2 / 3	4 / 1	2 / 3	6	2 / 3	2 / 2	
Bed size, single beds (length x width)	mm	1.930 x 760 / 1.850 x 760	-	-	-	-	2.020 x 845; 1.900 x 845	-	2.090 x 800; 1.940 x 800	1.920 x 780; 1.960 x 780	-
Bed size, children's beds (length x width)	mm	-	-	860 x 2.135; 870 x 2.160	-	-	-	-	-	-	-
Bed size, double bed (length x width)	mm	-	-	-	1.990 x 1.380 / 1.100	1.990 x 1.380 / 1.100	-	2.135 x 1.380 / 1.070	-	-	1.980 x 1.380 / 1.050
Bed size, queen-size bed (length x width)	mm	-	2.000 x 1.400	-	-	-	-	-	-	-	-
Bed size, drop-down bed (length x width)	mm	-	-	2.000 x 1.300	-	2.040 x 1.340 / 1.190	-	-	-	-	-
Bed size, overcab (length x width)	mm	-	-	-	-	-	-	-	-	-	-
Bed size, seating area bed conversion (length x width)	mm	1.950 x 900	1.950 x 900	2.100 x 1.400	2.120 x 1.190	-	2.120 x 1.190	2.020 x 1.530	2.120 x 1.215	2.120 x 1.000 / 940	2.120 x 1.000 / 870
Bed size, cab bed conversion (length x width)	mm	1.600 x 740	1.600 x 740	1.600 x 740	1.600 x 740	1.600 x 740	1.600 x 740	1.600 x 740	1.600 x 740	1.600 x 740	1.600 x 740
<b>CAPACITY</b>											
Fuel tank	l	90	90	90	90	90	90	90	75	75	75
AdBlue tank	l	20	20	20	20	20	20	20	19	19	19
Waste water tank	l	96	96	96	96	96	96	96	96	96	96
Fresh water tank <sup>6</sup>	l	10 / 100	10 / 100	10 / 100	10 / 100	10 / 100	10 / 100	10 / 100	10 / 100	10 / 100	10 / 100
<b>INSTALLATION LOCATIONS</b>											
External socket		Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side
TV bracket <sup>7</sup>		Seating area / washroom	Seating area / washroom	Seating area / kitchen	Entrance left	Entrance left	Seating area / washroom	Seating area / kitchen	Seating area / washroom	Entrance left	Entrance left
Fresh water tank		Bench seat / seatbelt anchor	Bench seat / seatbelt anchor	Bench seat / kitchen	Bench seat / seatbelt anchor	Bench seat / seatbelt anchor	Bench seat / seatbelt anchor	Bench seat / kitchen	Bench seat / seatbelt anchor	Bench seat / seatbelt anchor	Bench seat / seatbelt anchor
External gas socket		Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side	Passenger side
Gas control taps		Kitchen	Kitchen	Kitchen	Kitchen	Kitchen	Kitchen	Kitchen	Kitchen	Kitchen	Kitchen
Additional power sockets, 1 x 12 V		Garage	Garage	Garage	Garage	Garage	Garage	Garage	Garage	Garage	Garage
Additional power sockets, 2 x 230 V		Sleeping area / garage	Sleeping area / garage	Sleeping area / garage	Sleeping area / garage	Sleeping area / garage	Sleeping area / garage	Sleeping area / garage	Sleeping area / garage	Sleeping area / garage	Sleeping area / garage
Additional power sockets, 2 x USB A / C		Sleeping area	Sleeping area	Sleeping area	Sleeping area	Sleeping area	Sleeping area	Sleeping area	Sleeping area	Sleeping area	Sleeping area
<b>ON-BOARD TECHNOLOGY</b>											
Gas bottle locker	kg	2 x 11	2 x 11	2 x 11	2 x 11	2 x 11	2 x 11	2 x 11	2 x 11	2 x 11	2 x 11
Number of power sockets (12 V / 230 V / USB)		1 / 4 / 1	1 / 5 / 1	2 / 6 / 3	1 / 5 / 1	1 / 5 / 1	1 / 4 / 1	2 / 7 / 3	2 / 6 / 3	2 / 8 / 3	2 / 7 / 3
Charger		25 A	25 A	25 A	25 A	25 A	25 A	25 A	25 A	25 A	25 A
Charge booster		30 A	30 A	30 A	30 A	30 A	30 A	30 A	30 A	30 A	30 A
<b>GARAGES AND LOCKERS</b>											
Garage internal dimensions (length x width x height)	mm	915 x 2.010 x 1.100	940 / 625 x 2.010 x 995 / 1.195	866 x 2.180 x 765 / 1.530	-	-	1.000 x 2.180 x 1.100	2.180 x 680 / 1.060 x 1.110	1.000 x 2.180 x 1.100	-	-
Garage door on passenger side (inner dimensions: width x height)	mm	750 x 1.010	750 x 1.120	670 x 1.150	-	-	820 x 1.010	820 x 1.010	870 x 1.010	-	-
Garage door on driver's side (inner dimensions: width x height)	mm	750 x 1.010	440 x 1.120	-	-	-	820 x 1.010	440 x 910	870 x 1.010	-	-
Locker door (inner dimensions: width x height)	mm	-	-	340 x 385	1.150 x 700	1.150 x 700	-	340 x 385	-	1.000 x 510 / 1.000 x 510	900 x 510

# EQUIPMENT AND PRICES

## MOTORHOMES

	ADDITIONAL WEIGHT IN KG	PURCHASE PRICE (EURO)	RRP (EURO) INC VAT @ 19%	ONTOUR C COMPACT SEMI-INTEGRATED		ONTOUR T SEMI-INTEGRATED				ONTOUR A OVERCAB	MAXIA T SEMI-INTEGRATED		
				680 GE	700 GQ	700 KMH	700 F	700 FH	710 GE	720 GFM	710 GE	740 WE	740 WF
<b>CHASSIS</b>													
CITROËN Low-Frame Chassis Light, 3,500 kg				●	●	-	-	-	-	-	-	-	-
FIAT Low-Frame Chassis Light, 3,500 kg				-	-	-	●	-	●	-	-	-	-
FIAT Low-Frame Chassis Maxi, 4,250 kg				-	-	●	-	-	-	-	-	-	-
FIAT Low-Frame Chassis Maxi, 4,400 kg (only in conjunction with 180 hp engine)		See motorization		-	-	-	○	●	-	-	●	●	●
<b>ENGINE / TRANSMISSION</b>													
2,184 ccm, 103 kW / 140 hp, Euro 6e, with start / stop technology and ECO pack, 6-speed manual transmission <sup>8</sup>				●	●	-	●	-	●	-	-	-	-
2,184 ccm, 103 kW / 140 hp, Euro 6e, with start / stop technology and ECO pack, 8-speed automatic transmission <sup>8</sup>	18,00			○	○	●	○	-	○	●	-	-	-
2,184 ccm, 130 kW / 180 hp, Euro 6e, with start / stop technology and ECO pack, 8-speed automatic transmission (inclusive FIAT Low-Frame Chassis Maxi, 4,400 kg) <sup>8</sup>	33,00			-	-	-	○	●	-	-	●	●	●
<b>LOAD INCREASE</b>													
Increase in load capacity to 3,650 kg, without any technical modifications <sup>9</sup>	0,00		3.770,00	○	○	-	○	-	○	-	-	-	-
Seatbelt anchor with rear-facing lap belts				-	-	●	-	-	-	●	-	-	-
Approval for 6 people				-	-	●	-	-	-	●	-	-	-
<b>WHEEL RIMS</b>													
✓ Bicolor 16" alloy rims				●	●	●	●	●	●	●	●	●	●
<b>BASE VEHICLE</b>													
All-weather tires M+S				●	●	●	●	●	●	●	●	●	●
Trailer hitch SAWIKO, detachable	29,00		27.610,00	○	○	-	○	○	○	-	○	○	○
Wing mirrors, electrically adjustable and heated				●	●	●	●	●	●	●	●	●	●
Wing mirrors, extended				●	●	●	●	●	●	●	●	●	●
Diesel fuel tank, 90 litres				●	●	●	●	●	●	●	●	●	●
Driver and passenger airbag				●	●	●	●	●	●	●	●	●	●
Halogen headlights with daytime running lights				●	●	●	●	●	●	●	●	●	●
Electric windows				●	●	●	●	●	●	●	●	●	●
Air conditioning, manual with pollen filter in cab				●	●	●	●	●	●	●	●	●	●
Front bumper painted in body colour incl. lack skid plate				●	●	-	●	●	●	-	●	●	●
Charge booster 30 A				●	●	●	●	●	●	●	●	●	●
✓ Steering wheel with controls				●	●	●	●	●	●	●	●	●	●
✓ Leather steering wheel and gearstick and Techno Trim dashboard				●	●	●	●	●	●	●	●	●	●
✓ Fog lights incl. cornering light				●	●	-	●	●	●	-	●	●	●
✓ "Lounge" package (incl. electronically adjustable air conditioning with pollen filter, inductive smartphone charging function, digital instrument display as 7" TFT color display)				-	-	-	●	●	●	-	●	●	●
Radio antenna (DAB)				●	●	●	●	●	●	●	●	●	●
Tyre repair set				●	●	●	●	●	●	●	●	●	●
Mud flaps, front				●	●	●	●	●	●	●	●	●	●
Mud flaps, rear				-	-	●	-	-	-	●	-	-	-
Hazard triangle and first aid kit				●	●	●	●	●	●	●	●	●	●
Central locking with remote control				●	●	●	●	●	●	●	●	●	●
Immobiliser, electronic				●	●	●	●	●	●	●	●	●	●
<b>ASSISTANCE SYSTEMS</b>													
ABS anti-lock braking system				●	●	●	●	●	●	●	●	●	●
ESP including ASR, Hill Holder and intelligent traction control				●	●	●	●	●	●	●	●	●	●
✓ "Safety" package (incl. automatic braking system with pedestrian detection, rain and light sensor, lane departure warning, traffic sign recognition, driver fatigue detection and intelligent speed assistant)				●	●	●	●	●	●	●	●	●	●
Post Collision Braking System				●	●	●	●	●	●	●	●	●	●
Tyre pressure monitoring system				●	●	●	●	●	●	●	●	●	●
Crosswind Assist				●	●	●	●	●	●	●	●	●	●
✓ Cruise control incl. adaptive cruise control >30 km/h				●	●	●	●	●	●	●	●	●	●
Trailer Stability Assistant				●	●	●	●	●	●	●	●	●	●
<b>DESIGN VARIANTS</b>													
White front end paint finish				●	●	●	●	●	●	●	●	●	●
✓ Black front end paint finish				-	-	-	-	-	-	-	●	●	●

# EQUIPMENT AND PRICES

## MOTORHOMES

	ADDITIONAL WEIGHT IN KG	PURCHASE PRICE (EURO)	RRP (EURO) INC VAT @ 19%	ONTOUR C COMPACT SEMI-INTEGRATED		ONTOUR T SEMI-INTEGRATED				ONTOUR A OVERCAB	MAXIA T SEMI-INTEGRATED		
				680 GE	700 GQ	FIAT	FIAT	FIAT	FIAT	FIAT	710 GE	740 WE	740 WF
<b>CAB</b>													
Cup holder				●	●	●	●	●	●	●	●	●	●
✓ Roof vent, can be opened, double-glazed and tinted				●	●	●	●	●	●	●	●	●	●
Driver and passenger seat covered in original upholstery				-	-	-	-	-	-	-	-	-	-
✓ Driver and passenger seat covered in same upholstery as living area				●	●	●	●	●	●	●	●	●	●
✓ Driver and passenger seats with armrests "Captain's Chair" with lumbar support, height-adjustable				●	●	●	●	●	●	●	●	●	●
Swivel driver and passenger seat				●	●	●	●	●	●	●	●	●	●
Floor mat in the cab	1,50	1.220,00		○	○	○	○	○	○	○	○	○	○
Thermal curtains including footwell insulation	4,50	5.770,00		○	○	○	○	○	○	○	○	○	○
USB charging socket (USB-A / USB-C)				●	●	●	●	●	●	●	●	●	●
✓ Blackout system REMIS for front and side cab windows				●	●	●	●	●	●	●	●	●	●
<b>WINDOWS</b>													
Hinged window, can be opened, double-glazed and tinted				●	●	●	●	●	●	●	●	●	●
Hinged window, can be opened, double-glazed and tinted, on the driver's side in the sleeping area, 740 x 360 mm				-	●	-	-	-	-	-	-	-	-
Hinged window, can be opened, double-glazed and tinted, on the driver's side in the sleeping area, 840 x 260 mm				●	-	-	-	●	-	-	-	-	-
Hinged window, can be opened, double-glazed and tinted, on the passenger's side in the area of the double bed (840 x 260 mm) and in the overcab (880 x 260 mm)				-	-	-	-	-	●	-	-	-	-
✓ Framed windows, can be opened, double-glazed and tinted				●	●	●	●	●	●	●	●	●	●
Combi-cassettes with pleated blind and fly screen, for all windows				●	●	●	●	●	●	●	●	●	●
Combi-cassettes with pleated blackout blind and insect screen, for all windows				-	-	-	-	-	-	-	-	-	-
<b>BODY</b>													
✓ Awning THULE OMNISTOR, width 400 cm, pull-out depth 250 cm				●	●	●	●	●	●	●	●	●	●
✓ Awning THULE OMNISTOR, width 450 cm, pull-out depth 250 cm				-	-	-	-	-	-	-	-	-	-
Rooflight DOMETIC SEITZ, Mini-Heki 400 x 400 mm, with pleated blind and fly screen in sleeping area				●	-	●	●	●	●	●	●	●	●
Rooflight DOMETIC SEITZ, Mini-Heki 400 x 400 mm, with pleated blind and fly screen in washroom				●	●	●	●	●	●	●	●	●	●
Rooflight DOMETIC SEITZ, Mini-Heki 400 x 400 mm, with pleated blind and fly screen in living area				-	●	-	-	-	-	-	-	-	-
Rooflight DOMETIC SEITZ, Midi-Heki 700 x 500 mm, with pleated blind and fly screen in sleeping area				-	●	-	-	-	-	-	-	-	-
Rooflight DOMETIC SEITZ, Midi-Heki 700 x 500 mm, with pleated blind and fly screen in living area				●	-	●	●	●	●	●	●	●	●
✓ Entrance door, extra wide with double lock, window, waste bin and compartments, inner dimensions: 605 x 1,740 mm				●	●	●	●	●	●	●	●	●	●
Double entry step, electrically operated				-	-	-	-	-	-	-	-	-	-
Entry step, electrically operated				●	●	●	●	●	●	●	●	●	●
✓ Gas bottle pull-out shelf, accommodates 2 x 11 kg bottles				●	●	●	●	●	●	●	●	●	●
✓ GRP floor with XPS heat insulation				●	●	●	●	●	●	●	●	●	●
✓ GRP roof for optimal hail protection				●	●	●	●	●	●	●	●	●	●
Rear corner steadies	6,00	6.390,00		○	○	○	○	○	○	○	○	○	○
Rear reinforcement for bicycle rack				●	●	●	●	●	●	●	●	●	●
✓ Fly screen for habitation entrance door				●	●	●	●	●	●	●	●	●	●
LED entry light				●	●	●	●	●	●	●	●	●	●
Apron rails made of aluminium				●	●	●	●	●	●	●	●	●	●
Winter vents for seating area, lockers and beds				●	●	●	●	●	●	●	●	●	●
<b>GARAGES AND LOCKERS</b>													
Garage door on passenger side with gas springs				-	-	-	-	-	-	-	-	-	-
✓ Garage door on the driver's side with gas springs				●	●	●	●	●	●	●	●	●	●
Garage door on passenger side				●	●	●	●	●	●	●	●	●	●
✓ Garage door on the driver's side				●	●	●	●	●	●	●	●	●	●
Lowered rear with XPS heat insulation				●	●	●	●	●	●	●	●	●	●
Rear garage, insulated and heated, with robust floor covering				●	●	●	●	●	●	●	●	●	●
Storage spaces, insulated and heated, with robust floor covering				-	-	-	-	-	-	-	-	-	-
✓ Tie down rails and points in garage				●	●	●	●	●	●	●	●	●	●

# EQUIPMENT AND PRICES

## MOTORHOMES

	ADDITIONAL WEIGHT IN KG	PURCHASE PRICE (EURO)	RRP (EURO) INC VAT @ 19%	ONTOUR C COMPACT SEMI-INTEGRATED		ONTOUR T SEMI-INTEGRATED				ONTOUR A OVERCAB	MAXIA T SEMI-INTEGRATED		
				680 GE	700 GQ	700 KMH	700 F	700 FH	710 GE	720 GFM	710 GE	740 WE	740 WF
<b>LIVING AREA</b>													
Wardrobe with interior light				●	●	●	●	●	●	●	●	●	●
✓ L-shaped seating area with single-post lift table foldable, can be rotated through 360°, design dependent on model				●	●	●	●	●	●	●	●	●	●
Smooth transition from cab to habitation area				●	●	●	●	●	●	●	●	●	●
Carpet in the living area, removable	10,00		4.960,00	○	○	○	○	○	○	○	○	○	○
<b>FURNITURE FINISH</b>													
Kopenhagen / Piquet				●	●	●	●	●	●	●	●	●	●
Graphite Grey / Rochefort Walnut / Uni Grigio				-	-	-	-	-	-	-	-	-	-
<b>UPHOLSTERY COMBINATIONS</b>													
Cor				●	●	●	●	●	●	●	●	●	●
Kos	0,00		4.010,00	○	○	○	○	○	○	○	○	○	○
<b>KITCHEN</b>													
Refrigerator (AES) DOMETIC, 133 litres, double-hinged, absorption technology				●	●	●	●	●	●	●	●	●	●
Stainless steel 2-burner hob, electric ignition and glass cover				-	●	-	-	-	-	-	-	-	-
Stainless steel 3-burner hob, electric ignition and glass cover				●	-	●	●	●	●	●	●	●	●
Designer 3-burner "Gas-on-Glass" hob with electric ignition				-	-	-	-	-	-	-	-	-	-
Stainless steel sink				-	-	●	●	●	●	●	●	●	●
Stainless steel sink with glass cover				●	●	-	-	-	-	-	-	-	-
Worktop extension				●	●	-	-	-	-	-	-	-	-
Oven with electric ignition and light	16,00		10.330,00	○	-	○	○	○	○	○	○	○	○
Cutlery insert				●	●	●	●	●	●	●	●	●	●
Extractor hood DOMETIC	3,00		5.110,00	○	○	○	○	○	○	○	○	○	○
Kitchen with generously-sized, fully-extendable drawers with soft-close mechanism				●	●	●	●	●	●	●	●	●	●
Kitchen power socket				●	●	●	●	●	●	●	●	●	●
<b>SLEEPING AREA</b>													
Overcabs				-	-	-	-	-	-	-	-	-	-
Single beds				●	-	-	-	-	●	-	-	-	-
Double bed				-	-	●	●	●	●	●	●	●	●
Drop-down bed, mechanical				-	-	●	●	●	-	-	-	-	-
Queen-size bed				-	-	-	-	-	-	-	-	-	-
Bunk beds, 2-tier, lowered bed foldable				-	-	-	-	-	-	-	-	-	-
Bed lift for slatted frame in overcab, with gas springs				-	-	-	-	-	-	-	-	-	-
Bed conversion for seating group incl. cushion	14,00		5.340,00	○	○	-	-	-	-	-	-	-	-
Bed conversion for seating group incl. cushion	2,00		4.350,00	-	-	-	-	○	○	○	○	○	○
Bed conversion for seating group incl. cushion				-	-	-	-	●	●	●	●	●	●
Bed conversion for cab incl. cushion	10,00		3.270,00	○	○	○	○	○	○	○	○	○	○
Bed extension including cold foam mattress and ladder				●	●	●	●	●	●	●	●	●	●
Cold foam mattress(es)				●	●	●	●	●	●	●	●	●	●
✓ Slatted frame system GOODSIDE® 10				●	●	●	●	●	●	●	●	●	●
Light switch in sleeping area				●	●	●	●	●	●	●	●	●	●
✓ All-round wall units above bed				●	●	●	●	●	●	●	●	●	●
<b>WASHROOM</b>													
Rear washroom with separate shower cubicle				-	-	-	-	-	-	-	-	-	-
Compact washroom with integrated shower				●	●	●	●	●	●	●	●	●	●
Washroom with separate shower				-	-	●	●	●	●	●	●	●	●
Swivel toilet THETFORD				●	●	●	●	●	●	●	●	●	●
Shower screen				●	●	●	●	●	●	●	●	●	●
Shower column with shower fitting and compartments				●	●	●	●	●	●	●	●	●	●
Mirror cabinet				●	●	●	●	●	●	●	●	●	●
Washing line, extendable				●	●	●	●	●	●	●	●	●	●

# EQUIPMENT AND PRICES

## MOTORHOMES

	ADDITIONAL WEIGHT IN KG	PURCHASE PRICE (EURO)	RRP (EURO) INC VAT @ 19%	ONTOUR C COMPACT SEMI-INTEGRATED		ONTOUR T SEMI-INTEGRATED				ONTOUR A OVERCAB	MAXIA T SEMI-INTEGRATED			
				680 GE	700 GQ	700 KMH	700 F	700 FH	710 GE	720 GFM	710 GE	740 WE	740 WF	
<b>WATER / GAS / ELECTRICITY</b>														
Waste water tank, 96 litres, insulated and heated				●	●	●	●	●	●	●	●	●	●	●
Fresh water tank, 10 / 100 litres, frost-protected <sup>6</sup>				●	●	●	●	●	●	●	●	●	●	●
Frost-protected installation in the floor pedestal				●	●	●	●	●	●	●	●	●	●	●
External gas socket	1,50	4.050,00		○	○	-	○	○	○	-	○	○	○	○
Gas regulator with over-pressure protection (DIN EN 12 864) and hose line				●	●	●	●	●	●	●	●	●	●	●
Gas pressure regulator TRUMA DuoControl including automatic changeover, crash sensor, EisEx de-icing system and gas filter	2,40	7.750,00		○	○	-	○	○	○	-	○	○	○	○
Remote display for gas pressure regulator TRUMA DuoControl	0,60	3.810,00		○	○	-	○	○	○	-	○	○	○	○
Wireless alarm system with gas warning system for narcotic gases, propane and butane	1,00	7.270,00		○	○	-	○	○	○	-	○	○	○	○
AGM habitation battery, 12 V / 95 Ah				●	●	●	●	●	●	●	●	●	●	●
Lithium battery SUPER B Epsilon, 12V / 150Ah <sup>11</sup>	-9,90	29.700,00		○	○	-	○	○	○	-	○	○	○	○
External socket 12 V / 230 V, including satellite / TV connection	0,40	2.410,00		○	○	-	○	○	○	-	○	○	○	○
Smoke alarm <sup>12</sup>				●	●	●	●	●	●	●	●	●	●	●
Smart Trailer System (vehicle levelling aid and fuel level indicator via E-Trailer app)	0,80	3.990,00		○	○	-	○	○	○	-	○	○	○	○
Power sockets in garage, 12 V / 230 V				-	-	-	-	-	-	-	●	●	●	●
Power supply, 12 V / 230 V				●	●	●	●	●	●	●	●	●	●	●
Twin submersible pump				●	●	●	●	●	●	●	●	●	●	●
Dual USB charging socket (A / C), 1 per living area				●	●	●	●	●	●	●	●	●	●	●
Pre wired for solar power system				●	●	●	●	●	●	●	●	●	●	●
Additional Dual AGM habitation battery, 12 V / 95 Ah	28,00	6.630,00		○	○	-	○	○	○	-	○	○	○	○
Additional power sockets, (1 x 12 V / 2 x 230 V / 2 x USB A / C)	Follow	3.310,00		○	○	-	○	○	○	-	○	○	○	○
<b>LED LIGHTING</b>														
Ambient lighting, design dependent on model	0,30	1.690,00		○	○	-	○	○	○	-	○	○	○	○
Work surface lighting in the kitchen				●	●	●	●	●	●	●	●	●	●	●
Garage lighting				●	●	●	●	●	●	●	●	●	●	●
Ceiling light in living and sleeping area				●	●	●	●	●	●	●	●	●	●	●
Reading lights in sleeping area				●	●	●	●	●	●	●	●	●	●	●
Reading lights in seating area				●	●	●	●	●	●	●	●	●	●	●
Preparation for ambient lighting				●	●	●	●	●	●	●	●	●	●	●
<b>SMART HOME</b>														
HOBBY CONNECT, controls for on-board technology via Hobby control panel and Bluetooth using app				●	●	●	●	●	●	●	●	●	●	●
<b>HEATING / AIR CONDITIONING</b>														
Heating system TRUMA Combi 4 including 10-litre hot water supply system and frost monitor valve				●	●	●	●	●	●	●	●	●	●	●
Heating system TRUMA Combi 6 including 10-litre hot water supply system and frost monitor valve				-	-	-	-	-	-	-	-	-	-	-
Heating system TRUMA Combi 6 E, instead of Combi 4 <sup>13</sup>	1,10	14.060,00		○	○	-	○	○	○	-	○	○	○	○
Heating system TRUMA Combi 6 E, instead of Combi 6 <sup>13</sup>	1,10	11.100,00		-	-	-	-	-	-	-	○	○	○	○
Control panel TRUMA CP Classic				●	●	●	●	●	●	●	●	●	●	●
LCD control panel TRUMA Combi CP Plus	0,20	1.080,00		○	○	-	○	○	○	-	○	○	○	○
Pre wired for roof-mounted air conditioning unit				●	●	●	●	●	●	●	●	●	●	●

# EQUIPMENT AND PRICES

## MOTORHOMES

	ADDITIONAL WEIGHT IN KG	PURCHASE PRICE (EURO)	RRP (EURO) INC VAT @ 19%	ONTOUR C COMPACT SEMI-INTEGRATED		ONTOUR T SEMI-INTEGRATED				ONTOUR A OVERCAB	MAXIA T SEMI-INTEGRATED		
				680 GE	700 GQ	700 KMH	700 F	700 FH	710 GE	720 GFM	710 GE	740 WE	740 WF
<b>MULTIMEDIA</b>													
CAMPERNET / TV combination consisting of LTE/WiFi router with dual SIM, high-performance multiband roof aerial for mobile streaming and WiFi near the vehicle, 22" Smart-TV TELECO including tuner / receiver and DVD player, pull-out TV bracket <sup>14</sup>	Follow		21.540,00	o	o	-	o	o	o	-	o	o	o
Satellite / TV combination consisting of TELECO satellite system, 22" Smart-TV TELECO including tuner / receiver and DVD player, pull-out TV bracket	Follow		33.690,00	o	o	-	o	o	o	-	o	o	o
Loudspeaker for seating area, x 2				-	-	-	-	-	-	-	•	•	•
✓ Radio PIONEER, 9" touchscreen incl. Apple Car Play / Android Car and reversing camera				•	•	•	•	•	•	•	•	•	•
TV connection, including 12 V / 230 V and antenna socket				•	•	•	•	•	•	•	•	•	•
✓ Pre wired for satellite system				•	•	•	•	•	•	•	•	•	•
<b>COUNTRY SPECIFICATIONS</b>													
Supporting documents in a foreign language	0,00			o	o	o	o	o	o	o	o	o	o
Gas system, country-specific (CH, FR, GB, IS, SE)	0,00	1.100,00		o	o	o	o	o	o	o	o	o	o
Power sockets, country-specific (CH, NZ)	0,00			o	o	o	o	o	o	o	o	o	o
Right-hand drive vehicle	0,00			o	o	o	o	o	o	o	o	o	o
Customs clearance	0,00			o	o	o	o	o	o	o	o	o	o
Type approval / safety certificates <sup>15</sup>	0,00	3.490,00		o	o	o	o	o	o	o	o	o	o
<b>INTERNAL</b>													
TÜV individual acceptance inspection	0,00	2.490,00		o	o	o	o	o	o	o	o	o	o
Dummy TV 22"	1,00			o	o	-	o	o	o	-	o	o	o

### DESIGN

### KEY TO SYMBOLS

A	Overcabs		Sleeping / Sleeping (optional)
C	Compact		Seating area
T	Semi-integrated		Kitchen
E	Single beds		Washroom
F	Double bed		Storage space
G	Garage		
H	Drop-down bed		
K	Children's beds		
M	Central seating area		
Q	Queen-size bed		
W	Washroom		

### FOOTNOTES

- The technically permissible maximum laden mass is the total mass specified by the manufacturer, which must not be exceeded under any circumstances when driving.
- The mass in running order refers to the unladen weight of the vehicle in standard condition according to the manufacturer's specifications, including the mass of the body, the cab, the trailer hitch and the spare wheels as well as the tools, the 100% full fresh water tank, the 100% full hot water heater, the 100% full toilet flush tank (if applicable) and a 100% full aluminum gas cylinder (16.5 kg). This is a calculated value that is subject to legally permissible tolerances of up to ± 5 % (see addition in brackets). As the occurrence of legally permissible tolerances has a direct effect on the remaining payload, these tolerances must be taken into account when configuring the vehicle.
- The maximum mass for special equipment is a value calculated for each floor plan with which HOBBY has limited the mass for the special equipment that can be ordered at the factory. This is to ensure that the legally prescribed minimum payload is complied with. If the actual vehicle mass is increased by the selection of optional extras to such an extent that there is no longer enough free mass between the actual vehicle mass and the technically permissible gross vehicle mass to meet the minimum payload, you can select a vehicle load (increase in the technically permissible gross vehicle mass) depending on the layout and/or deselect optional extras during configuration. Otherwise you will not be able to continue with the configuration and the ordering process.
- The tow bar is an option. Please comply with the maximum permissible gross train weights.
- The maximum number of permitted people specified in each case is dependent on the weight and axle load. It may be reduced when optional extras and accessories are installed, meaning that individual seats cannot be used in favour of the payload capacity. If all the seats are to be used, this must be at the partial expense of the payload. The maximum technically permissible laden mass and the axle loads must not be exceeded.
- Capacity of the fresh water tank according to Annex V, Part A, Para. 2.6 Fn. (h) of Commission Regulation (EU) No 1230 / 2012 allowing for the driving restriction (valve on the fresh water tank): 10 litres (drive-ready filling volume). If the valve on the fresh water tank is set accordingly, the max. capacity is 100 litres.
- The installation location of the TV bracket / pull-out mount can accommodate a television with a diagonal screen size of up to 22" (max. overall dimensions: 535 x 351 x 50 mm).
- Includes alternator 200 A.
- The increase in load capacity reduces the towing capacity (braked).
- Not technically feasible with a drop-down bed.
- Replaces the standard on-board AGM battery.
- Battery-powered.
- Only in conjunction with TRUMA Combi CP Plus LCD control panel.
- In order to use CAMPERNET, a SIM card is necessary for transferring data via the Internet. A mobile phone contract (SIM card) is not included. The actual network speed depends on the mobile phone network and tariff plan. Please refer to the product description for more information about CAMPERNET.
- Includes: Homologation / EU Type Approval, CoC / Safety Certificates Part II and Gas Test Certificate.

# TECHNICAL DATA VAN CONVERSIONS

	UNIT	ONTOUR VAN		PRESTIGE VAN
		600 FT	640 ET	640 ET
<b>CHASSIS / MODELS</b>				
CITROËN Light Chassis, 3,500 kg		•	•	•
FIAT Light Chassis, 3,500 kg		-	-	-
<b>ENGINE</b>				
Engine power	kW / HP	103 / 140	103 / 140	103 / 140
<b>CHASSIS</b>				
Number of axles		2	2	2
Front wheel drive		•	•	•
Wheelbase	mm	4.035	4.035	4.035
Tyre size		225 / 75 R 16 CP	225 / 75 R 16 CP	225 / 75 R 16 CP
Turning circle	m	14.43	14.43	14.43
<b>DIMENSIONS AND WEIGHT</b>				
Overall length	mm	5.998	6.363	6.363
Overall width	mm	2.050	2.050	2.050
Overall height	mm	2.669	2.669	2.669
Interior headroom	mm	1.905	1.905	1.905
Maximum technically permissible laden mass <sup>1</sup>	kg	3.500	3.500	3.500
Unladen weight	kg	Follow	Follow	2.900
Mass in running order (+/- 5%) <sup>2</sup>	kg	Follow	Follow	3.021
Maximum mass for special equipment <sup>3</sup>	kg	Follow	Follow	479
Towing capacity, braked <sup>4</sup>	kg	2.500	2.500	2.500
<b>NUMBER OF SEATS</b>				
Number of people when driving <sup>5</sup>		4	4	4
Three-point seatbelts		4	4	4
<b>NUMBER OF BERTHS</b>				
Number of berths / optional berths		2 / 2	2 / 2	2 / 2
Bed size, single beds (length x width)	mm	-	1.850 x 2.010 / 1.810	1.870 x 2.010 / 1.820
Bed size, double bed (length x width)	mm	1.940 x 1.640 / 1.450	-	-
Bed size, seating area bed conversion (length x width)	mm	1.820 x 580	1.820 x 580	1.820 x 580
Bed size, cab bed conversion (length x width)	mm	1.600 x 740	1.600 x 740	1.600 x 740
<b>CAPACITY</b>				
Fuel tank	l	90	90	90
AdBlue tank	l	20	20	19
Waste water tank	l	90	90	90
Fresh water tank <sup>6</sup>	l	95	95	95
<b>INSTALLATION LOCATIONS</b>				
External socket		Passenger side	Passenger side	Passenger side
TV bracket <sup>7</sup>		Seating area / washroom	Seating area / washroom	Seating area / washroom
Fresh water tank		Rear right	Rear right	Rear right
Gas control taps		Central seating area	Central seating area	Central seating area
Additional power sockets, 1 x 12 V		Sleeping area / under the bed	Sleeping area / under the bed	Sleeping area / under the bed
Additional power sockets, 2 x 230 V		Sleeping area / under the bed	Sleeping area / under the bed	Sleeping area / under the bed
Additional power sockets, 2 x USB A / C		Sleeping area	Sleeping area	Sleeping area
<b>ON-BOARD TECHNOLOGY</b>				
Gas bottle locker	kg	2 x 11	2 x 11	2 x 11
Number of power sockets (12 V / 230 V / USB)		1 / 3 / 1	1 / 3 / 1	2 / 6 / 3
Charger		25 A	25 A	25 A
Charge booster		30 A	30 A	30 A

# EQUIPMENT AND PRICES VAN CONVERSIONS

	ADDITIONAL WEIGHT IN KG	PURCHASE PRICE (EURO)	RRP (EURO) INC VAT @ 19%	ONTOUR VAN		PRESTIGE VAN
				600 FT	640 ET	640 ET
<b>ENGINE / TRANSMISSION</b>						
2,184 ccm, 103 kW / 140 hp, Euro 6e, with start / stop technology and ECO pack, 6-speed manual transmission <sup>8</sup>				•	•	•
2,184 ccm, 103 kW / 140 hp, Euro 6e, with start / stop technology and ECO pack, 8-speed automatic transmission <sup>8</sup>	18,00			o	o	o
2,184 ccm, 130 kW / 180 hp, Euro 6e, with start / stop technology and ECO pack, 8-speed automatic transmission	33,00			-	-	o
<b>WHEEL RIMS</b>						
✓ Bicolor 16" alloy rims				•	•	•
<b>BASE VEHICLE</b>						
All-weather tires M+S				•	•	•
Trailer hitch SAWIKO, detachable	29,00	18.080,00		o	o	o
Wing mirrors, electrically adjustable and heated				•	•	•
Diesel fuel tank, 90 litres				•	•	•
Driver and passenger airbag				•	•	•
Halogen headlights with daytime running lights				•	•	•
Electric windows				•	•	•
Air conditioning, manual with pollen filter in cab				•	•	•
Front bumper painted in body colour incl. lack skid plate				•	•	•
Charge booster 30 A				•	•	•
✓ Steering wheel with controls				•	•	•
✓ Leather steering wheel and gearstick and Techno Trim dashboard				•	•	•
✓ Fog lights incl. cornering light				•	•	•
"Vision Level 1" package (incl. electrically heated and electrically folding exterior mirrors and parking sensors)				•	•	•
Radio antenna (DAB)				•	•	•
Tyre repair set				•	•	•
Mud flaps, front				•	•	•
Hazard triangle and first aid kit				•	•	•
Central locking with remote control				•	•	•
Immobiliser, electronic				•	•	•
<b>ASSISTANCE SYSTEMS</b>						
ABS anti-lock braking system				•	•	•
ESP including ASR, Hill Holder and intelligent traction control				•	•	•
✓ "Safety" package (incl. automatic braking system with pedestrian detection, rain and light sensor, lane departure warning, traffic sign recognition, driver fatigue detection and intelligent speed assistant)				•	•	•
Post Collision Braking System				•	•	•
Tyre pressure monitoring system				•	•	•
Crosswind Assist				•	•	•
✓ Cruise control incl. adaptive cruise control >30 km/h				•	•	•
Trailer Stability Assistant				•	•	•
<b>DESIGN VARIANTS</b>						
✓ Paint finish: Expedition Grey				•	•	•
✓ Paint finish: Lanzarote Grey				-	-	•
<b>CAB</b>						
Cup holder				•	•	•
✓ Driver and passenger seat covered in same upholstery as living area				•	•	•
Swivel driver and passenger seat				•	•	•
Floor mat in the cab	1,50	1.220,00		o	o	o
Panoramic roof vent "HOBBY TOP", can be opened, double-glazed and tinted	0,00	28.680,00		-	-	o
Thermal curtains including footwell insulation	4,50	5.770,00		o	o	o
USB charging socket (USB-A / USB-C)				•	•	•
✓ Blackout system REMIS for front and side cab windows				•	•	•

# EQUIPMENT AND PRICES VAN CONVERSIONS

	ADDITIONAL WEIGHT IN KG	PURCHASE PRICE (EURO)	RRP (EURO) INC VAT @ 19%	ONTOUR VAN		PRESTIGE VAN
				600 FT	640 ET	640 ET
<b>WINDOWS</b>						
Hinged window, can be opened, double-glazed and tinted				●	●	-
Hinged window, can be opened, double-glazed and tinted, in the sleeping area on the left	2,10	7.400,00		○	○	-
Hinged window, can be opened, double-glazed and tinted, in the sleeping area on the right	2,10	7.400,00		○	○	-
✓ Framed windows, can be opened, double-glazed and tinted				-	-	●
✓ Framed windows, can be opened, double-glazed and tinted, in the sleeping area on the left				-	-	●
✓ Framed windows, can be opened, double-glazed and tinted, in the sleeping area on the right				-	-	●
Combi-cassettes with pleated blackout blind and insect screen, for all windows				●	●	●
<b>BODY</b>						
✓ B6 high-performance insulation and XPS foam				●	●	●
Rooflight DOMETIC SEITZ, Mini-Heki 400 x 400 mm, with pleated blind and fly screen in sleeping area				●	●	●
Rooflight DOMETIC SEITZ, Midi-Heki 700 x 500 mm, with pleated blind and fly screen in living area				●	●	●
✓ Roof awning THULE OMNISTOR in black, width 375 cm				●	-	-
✓ Roof awning THULE OMNISTOR in black, width 400 cm				-	●	●
Entry step, electrically operated, width 550 mm				●	●	●
✓ Gas bottle pull-out shelf, accommodates 2 x 11 kg bottles				●	●	●
✓ GRP internal floor with XPS heat insulation				●	●	●
✓ Pleated insect screen for sliding door				●	●	●
Sliding door with window and storage shelves				●	●	●
Compartment in floor				●	●	●
Water drainage via sliding door with LED entry light				●	●	●
Winter vents for seating area, lockers and beds				●	●	●
Tie down points in storage space				●	●	●
<b>LIVING AREA</b>						
Smooth transition from cab to habitation area				●	●	●
Carpet in the living area, removable	10,00	4.960,00		○	○	○
<b>FURNITURE FINISH</b>						
Kopenhagen / Piquet				-	-	-
Grey / Shell White / Sunset Evoke				-	-	-
<b>UPHOLSTERY COMBINATIONS</b>						
Cor				●	●	●
Baro				-	-	-
Kos	0,00	4.010,00		○	○	○
<b>KITCHEN</b>						
Refrigerator DOMETIC, 90 litres, double-hinged, compressor technology				●	●	-
Refrigerator THETFORD, 90 litres, compressor technology				-	-	●
Stainless steel hob / sink combination with 2-burner hob, electric ignition, retractable fitting and split glass cover				●	●	●
Worktop extension				-	-	●
Cutlery insert				●	●	●
Kitchen power socket				●	●	●
Drawers, generously sized, fully extendable				●	●	●

# EQUIPMENT AND PRICES VAN CONVERSIONS

	ADDITIONAL WEIGHT IN KG	PURCHASE PRICE (EURO)	RRP (EURO) INC VAT @ 19%	ONTOUR VAN		PRESTIGE VAN
				600 FT	640 ET	640 ET
<b>SLEEPING AREA</b>						
Single beds				-	-	●
Double bed				●	●	-
Bed conversion for seating group incl. cushion	14,00	5.340,00		○	○	○
Bed conversion for cab incl. cushion	10,00	3.270,00		○	○	○
✓ Slatted frame system GOODSIDE®, foldable including cold foam mattresses, multi-piece				●	●	●
Light switch in sleeping area				●	●	●
<b>WASHROOM</b>						
Compact washroom with integrated shower				●	●	●
Extendable tap fittings for the washbasin				●	●	-
Swivel toilet THETFORD				●	●	●
Hand shower in washbasin tap				-	-	●
Wall cupboard and mirror				-	-	●
Mirror cabinet				-	-	-
Hinged window with frosted glass look, can be opened				●	●	-
✓ Framed windows with frosted glass look, can be opened				-	-	-
<b>WATER / GAS / ELECTRICITY</b>						
Waste water tank, 90 litres				●	●	●
Waste water tank, 90 litres, heated	1,00	2.700,00		○	○	○
Fresh water tank, 95 litres, frost-protected <sup>6</sup>				●	●	●
Gas regulator with over-pressure protection (DIN EN 12 864) and hose line				●	●	●
Gas pressure regulator TRUMA DuoControl including automatic changeover, crash sensor, EisEx de-icing system and gas filter	2,40	7.750,00		○	○	○
Remote display for gas pressure regulator TRUMA DuoControl	0,60	3.810,00		○	○	○
Wireless alarm system with gas warning system for narcotic gases, propane and butane	1,00	7.270,00		○	○	○
Dual AGM habitation battery, 12 V / 95 Ah				●	●	●
Lithium battery SUPER B Epsilon, 12V / 150Ah <sup>9</sup>	-9,90	29.700,00		○	○	○
External socket 12 V / 230 V, including satellite / TV connection	0,40	2.410,00		○	○	○
Smoke alarm <sup>10</sup>				●	●	●
Smart Trailer System (vehicle levelling and fuel level indicator via E-Trailer app)	0,80	3.990,00		○	○	○
Power supply, 12 V / 230 V				●	●	●
Twin submersible pump				●	●	●
Dual USB charging socket (A / C), 1 per living area				●	●	●
✓ Pre wired for solar power system				●	●	●
Additional Dual AGM habitation battery, 12 V / 95 Ah	28,00	6.630,00		○	○	○
Additional power sockets, (1 x 12 V / 2 x 230 V / 2 x USB A / C)	Follow	3.310,00		○	○	○
<b>LED LIGHTING</b>						
Ambient lighting, design dependent on model	0,30	94,54	1.690,00	○	○	○
Work surface lighting in the kitchen				●	●	●
Storage space lighting				●	●	●
Ceiling light in living area				●	●	●
Reading lights in sleeping area				●	●	●
Reading light in seating area				●	●	●

# EQUIPMENT AND PRICES VAN CONVERSIONS

	ADDITIONAL WEIGHT IN KG	PURCHASE PRICE (EURO)	RRP (EURO) INC VAT @ 19%	ONTOUR VAN		PRESTIGE VAN
				600 FT	640 ET	640 ET
<b>SMART HOME</b>						
✓ <b>HOBBY CONNECT</b> , controls for on-board technology via Hobby control panel and Bluetooth using app				●	●	●
<b>HEATING / AIR CONDITIONING</b>						
Heating system TRUMA Combi 4 including 10-litre hot water supply system and frost monitor valve				●	●	●
Heating system TRUMA Combi 6 E, instead of Combi 4 <sup>11</sup>	1,10	14.060,00		○	○	○
LCD control panel TRUMA Combi CP Plus	0,20	1.080,00		○	○	○
✓ Pre wired for roof-mounted air conditioning unit				●	●	●
<b>MULTIMEDIA</b>						
CAMPERNET / TV combination consisting of LTE/WiFi router with dual SIM, high-performance multiband roof aerial for mobile streaming and WiFi near the vehicle, 22" Smart-TV TELECO including tuner / receiver and DVD player, pull-out TV bracket <sup>12</sup>	Follow	1.206,30	21.540,00	○	○	○
Satellite / TV combination consisting of TELECO satellite system, 22" Smart-TV TELECO including tuner / receiver and DVD player, pull-out TV bracket	Follow	1.886,97	33.690,00	○	○	○
✓ Radio PIONEER, 9" touchscreen incl. Apple Car Play / Android Car and reversing camera				●	●	●
TV connection, including 12 V / 230 V and antenna socket				●	●	●
✓ Pre wired for satellite system				●	●	●

# EQUIPMENT AND PRICES VAN CONVERSIONS

	ADDITIONAL WEIGHT IN KG	PURCHASE PRICE (EURO)	RRP (EURO) INC VAT @ 19%	ONTOUR VAN		PRESTIGE VAN
				600 FT	640 ET	640 ET
<b>COUNTRY SPECIFICATIONS</b>						
Supporting documents in a foreign language	0,00			○	○	○
Gas system, country-specific (CH, FR, GB, IS, SE)	0,00	1.100,00		○	○	○
Power sockets, country-specific (CH, NZ)	0,00			○	○	○
Right-hand drive vehicle	0,00			○	○	○
Customs clearance	0,00			○	○	○
Type approval / safety certificates <sup>13</sup>	0,00	3.490,00		○	○	○
<b>INTERNAL</b>						
TÜV individual acceptance inspection	0,00	2.490,00		○	○	○
Dummy TV 22"	1,00			○	○	○

## DESIGN

- E Single beds
- F Double bed
- T Compact washroom

## KEY TO SYMBOLS

- Sleeping / Sleeping (optional)
- Seating area
- Kitchen
- Washroom
- Storage space

## FOOTNOTES

- 1 The technically permissible maximum laden mass is the total mass specified by the manufacturer, which must not be exceeded under any circumstances when driving.
- 2 The mass in running order refers to the unladen weight of the vehicle in standard condition according to the manufacturer's specifications, including the mass of the body, the cab, the trailer hitch and the spare wheels as well as the tools, the 100% full fresh water tank, the 100% full hot water heater, the 100% full toilet flush tank (if applicable) and a 100% full aluminum gas cylinder (16.5 kg). This is a calculated value that is subject to legally permissible tolerances of up to ± 5 % (see addition in brackets). As the occurrence of legally permissible tolerances has a direct effect on the remaining payload, these tolerances must be taken into account when configuring the vehicle.
- 3 The maximum mass for special equipment is a value calculated for each floor plan with which HOBBY has limited the mass for the special equipment that can be ordered at the factory. This is to ensure that the legally prescribed minimum payload is complied with. If the actual vehicle mass is increased by the selection of optional extras to such an extent that there is no longer enough free mass between the actual vehicle mass and the technically permissible gross vehicle mass to meet the minimum payload, you can select a vehicle load (increase in the technically permissible gross vehicle mass) depending on the layout and/or deselect optional extras during configuration. Otherwise you will not be able to continue with the configuration and the ordering process.
- 4 The tow bar is an option. Please comply with the maximum permissible gross train weights.
- 5 The maximum number of permitted people specified in each case is dependent on the weight and axle load. It may be reduced when optional extras and accessories are installed, meaning that individual seats cannot be used in favour of the payload capacity. If all the seats are to be used, this must be at the partial expense of the payload. The maximum technically permissible laden mass and the axle loads must not be exceeded.
- 6 Capacity of the fresh water tank according to Annex V, Part A, Para. 2.6 Fn. (h) of Commission Regulation (EU) No 1230 / 2012 allowing for the driving restriction (valve on the fresh water tank): 10 litres (drive-ready filling volume). If the valve on the fresh water tank is set accordingly, the max. capacity is 100 litres.
- 7 The installation location of the TV bracket / pull-out mount can accommodate a television with a diagonal screen size of up to 22" (max. overall dimensions: 535 x 351 x 50 mm).
- 8 Includes alternator 200 A.
- 9 Replaces the standard on-board AGM battery.
- 10 Battery-powered.
- 11 Only in conjunction with TRUMA Combi CP Plus LCD control panel.
- 12 In order to use CAMPERNET, a SIM card is necessary for transferring data via the Internet. A mobile phone contract (SIM card) is not included. The actual network speed depends on the mobile phone network and tariff plan. Please refer to the product description for more information about CAMPERNET.
- 13 Includes: Homologation / EU Type Approval, CoC / Safety Certificates Part II and Gas Test Certificate.